


FIG.1

2/22



**FIG.2**





FIG.3





**FIG.4**






FIG.5




704 260

FIRST WORD	VERSION	HEADER LENGTH	SERVICE TYPE	TOTAL IP DATAGRAM LENGTH	
SECOND WORD	IDENTIFICATION NUMBER		FLAG STRING	FRAGMENT OFFSET	
THIRD WORD	TIME OF LIVE		PROTOCOL	HEADER CHECKSUM	
FOURTH WORD	TRANSMISSION SOURCE IP ADDRESS				
FIFTH WORD	DESTINATION IP ADDRESS				
SIXTH WORD	IP OPTION			PADDING	


**FIG.7A**

FIRST WORD	TRANSMISSION SOURCE PORT NUMBER		DESTINATION PORT NUMBER			
SECOND WORD	SEQUENCE NUMBER					
THIRD WORD	CONFIRMATION RESPONSE NUMBER					
FOURTH WORD	HEADER LENGTH	RESERVED	FLAG STRING	WINDOW		
FIFTH WORD	CHECKSUM		EMERGENCY POINTER			
SIXTH WORD	OPTION			PADDING		


**FIG.7B**




**FIG.8**



**FIG.9A**



**FIG.9B**




**FIG.9C**


DATA 704260  
SY

TERMINAL IDENTIFICATION CODE	TRANSMISSION SOURCE IP ADDRESS	FORMAT TYPE	FINAL ACCESS TIME	SPEECH BUFFER FILE NAME	TEXT BUFFER FILE NAME	FORMATTED TEXT BUFFER FILE NAME


**FIG.10**




**FIG. 1**




**FIG.12**




**FIG.13**



**FIG.14**



**FIG.15**



**FIG.16**

